

CREATING OPPORTUNITIES AND A BETTER WAY

WE CREATE INNOVATIVE TOOLS DRIVEN BY EXPERIENCE



SNOW PLOWS

6 KEY FEATURES

- Simple 2-in-1 blade and box system
- Sharpest angling in the industry
- Standard crossover relief valve
- 12-degree oscillation above cutting edge
- Trip edge that rolls over curbs
- Tri-form box construction



OVERBUILT BY DESIGN

2-in-1 System

Seamlessly transition between angling and pushing in seconds. Each system is powder coated for a prolonged professional look.

Power Angling

With the sharpest angling in the industry with maximums of 34 to 36-degrees, the KAGE system makes it easy to plow around obstacles, with or without the box.

Crossover Relief Valve

Relieves hydraulic pressure when excess force is exerted on the plow to protect the whole hydraulic system. This is a standard on the KAGE system.



SNOWDOZER

- For 30k-50k lb machines
- Built for wheel loaders
- Customizable from 12'-20'
- 48" tall moldboard
- 34-degree power angle
- 90-degree trip edge
- Adjustable attack angle

Agressive Attack Angle

Like a razor blade has a sweet spot to scrape off paint, so does a snow plow when it comes to clearing snow. KAGE systems have a 65-degree attack angle, which scrapes the pavement at the prime angle for the cleanest and fastest scrape.

Trip Edge

Built with enough trip to roll over curbs, and not enough to dump the whole load for more efficiency. Each system uses a compression spring-style trip edge which increases the longevity of the trip system by reducing wear. KAGE uses a standard highway DOT punch.



SNOWSTORM

- For 15k-30k lb machines
- Built for wheel loaders and tractors
- 10', 12', and 14' widths
- 36" tall moldboard
- 36-degree power angle
- 90-degree trip edge

Oscillation Plate

Makes dips and slopes easy to clean because of its large 12-degree oscillation and its prime location above the cutting edge, creating optimal scrapability by maintaining constant contact with the substrate.

The Moldboard

The KAGE system is not a redesigned truck plow. It is constructed with a heavy duty 10-gauge, grade 50 steel cold rolled face and a 1/4" tri-formed steel plate welded behind it for support. The curvature of the moldboard creates the optimal roll to keep the snow moving fast and efficiently.



SNOWFIRE

- For 5k-15k lb machines
- Built for skid steers, tractors, compact wheel loaders, telehandlers, and backhoes
- 6', 8', 9', 10', and 12' widths
- 32" tall moldboard
- 35-degree power angle
- 70-degree trip edge

BRAVE - PERSEVERANT - HUMBLE - COMPETITIVE - LOYAL - WILLING - TRUTHFUL

CREATING OPPORTUNITIES AND A BETTER WAY

WE CREATE INNOVATIVE TOOLS DRIVEN BY EXPERIENCE

SNOW PRODUCTS

XTREME PRO KIT



ADVANTEDGE

- DOT compatible cutting edge
- 18" & 24" buildable sections
- Pressure adjustable
- 1,375" of vertical travel
- Made in HARDOX or Carbide



FLOATING SKIDS

- Floating poly skids
- 3" of float



FLOATING CAM LOCKS

- Compression spring design
- 3" of additional box float



SHADOWBLADE

- Rear tractor plow
- Joystick control
- Foldable for easy transport
- Floating top link
- Piston accumulator relief
- For tractors over 9,500lbs
- Made in 9' and 10.5'



POLY ROTOR PADDLES

- Lasts up to 4x longer
- Built for 21" Toro models
- Fits 621, 721, 821, 60V Max, and CCR models



SNOW STAKES

- High impact orange flex stakes
- Full length kink resistant slit
- Made in 26", 32", 36"

SNOW STAKE KIT

- Installation tool
- Adjustable quiver



SNOWBLAZE

- Ergonomic shovel
- Reinforced cutting edge
- Windrow flip stick
- 32" wide



LIQUIDRAGE

- Ice prevention sprayer
- Adjustable nozzles
- Skid steer & 3-point attachment
- Largest ATV sprayer
- 150-gallon tank
- Pressure regulator
- Hydraulic motor with filter
- Drain valve
- Optional summer broadcast kit
- Optional brine mixer kit



WINGLINE

- Maintenance-free high-powered laser
- Increases wing awareness
- Alerts you when wing is deployed
- Increases safety
- Reduces damage
- Universal suction cup mounting
- Smart switch
- IP67 rated corrosion resistant connection



KAGE KLAWZ

- Snow tire
- Radial construction
- Retreadable
- Fully-welded steel rim
- Increases speed



SNOWFIRE BLAST

- Pusher for 5k-15k lb machines
- Built for skid steers, tractors, compact wheel loaders, telehandlers, and backhoes
- 6', 8', 9', 10', and 12' widths
- 32" tall moldboard
- 70-degree trip
- 65-degree attack angle
- 12-degree oscillation
- Tri-formed steel blade support
- Replaceable DOT steel cutting edge, skid, and side panels
- Floating plastic skids
- Floating quick attach



BUDDY STRAP

- D-handle shovel sling & assist handle



CREATING OPPORTUNITIES AND A BETTER WAY

WE CREATE INNOVATIVE TOOLS DRIVEN BY EXPERIENCE



WHEEL KADDY



250 SERIES

KEY FEATURES

- 3 piece wheel kit
- Quick release yoke mount
- Ergonomic platform
- Tapered roller bearings
- Greaseable pivot points



- 13" tires
- No suspension
- 270-degree pivot
- Fixed 3" platform clearance



500 SERIES

- 13" tires
- Compression spring suspension
- 270-degree pivot
- 3" +/- platform clearance



360 SERIES

- 10" tires
- Enclosed compression spring suspension
- 360-degree pivot
- 1 3/4" +/- platform clearance

DESIGNED-BY-THE-USER

Pivot & Oscillation

270° to 360° pivot action allows for ease of operation around tight turns and when backing up. Plus, 360° oscillation adjusts to slopes and dips for increased comfort.

Tapered Roller Bearings

Automotive grade tapered roller bearings give the sulky far more rigidity because there is significantly less wheel slope. They also increase the life expectancy, and reduce down time.

3-Piece Wheel Kit

The 3-piece wheel kit features a split rim and bearing cap that makes changing the tire a breeze without any special tools. A skilled operator may not need any tool to do the job.

Soft Ride Suspension

Adjustable suspension feature creates a smooth ride and helps the operator to go strong all day without side-aches and knee fatigue.

Pitch Adjustment

The platform pitch adjustment allows the operator set the pitch to the optimal angle to reduce fatigue and keep the operator's heels off the ground.

Maximum Clearance

With large 13" tires, the 250 and 500 series easily roll over curbs and provide a more comfortable ride. The 360 series has a 10" tire to fit underneath the arm.

Spacious Platform

The grade 50 steel platform has an anti-slip coating and plenty of room for the largest of steel toe boots. It also has heel and slope holds to keep the operator's feet secure.

Greasable PTO Pivots

The Wheel Kaddy has automotive grade drive-train with greasable PTO pivot bearings that give the sulky more durability and keeps the pivot points functioning smoothly for longer.

Quick Release Yoke Mount

The quick release yoke mount allows the operator to quickly remove the sulky from the machine for storage or put onto another machine without removing the mounting bracket.

BRAVE - PERSEVERANT - HUMBLE - COMPETITIVE - LOYAL - WILLING - TRUTHFUL

CREATING OPPORTUNITIES AND A BETTER WAY

WE CREATE INNOVATIVE TOOLS DRIVEN BY EXPERIENCE

LAWN & DIRT



KAGE KATCHER

KEY FEATURES

- Electric dumping mower basket
 - Empty the basket on the go
-
- Available in steel (79lbs) and aluminum (39lbs)
 - 400lb lift capacity electric actuator
 - Easily-installed wiring harness consisting of battery clamps, quick connect plug, and ergonomic magnetic switch mount
 - Remove the basket within seconds
 - Angled bottom to accommodate ditches and slopes
 - Large handles for fast removal
 - Easy hanging hook

KAGE KATCHER APPLICATIONS

Leaf collection
Dust suppression
Broadleaf weed control



GREATER BAR

KEY FEATURES

- Mechanically activated ripper teeth
 - Replaceable cutting edges
 - Replaceable quick rip teeth caps
 - Heavy duty corner gussets
-
- Spring-loaded ripper bar with automatic retracting teeth in reverse
 - HARDOX™ latching mechanism
 - Adjustable foot to optimize the ease of the latching mechanism
 - Large safety step
 - Bucket holding Klaw
 - 1/2" attachment plate top bar

GREATER BAR APPLICATIONS

Gravel road/driveway/parking lot
Sand driveways/horse arenas
Dirt construction sites/trails/food plots
Clay motorsport tracks
Root & rock removal
Washboarding/wheel depression removal



LIQUIDRAGE SUMMER KIT

KEY FEATURES

- Mounts to skid steers, ag tractors & ATVs without changes
 - 150-gallon capacity
 - Hydraulic driven filtered pump
 - Controllable pressure
 - Summer and Winter applications
-
- 5' to 30' swath width with fan nozzles
 - Ergonomic wiring harness
 - Electric controlled swath width solenoid valves on each end of the sprayer
 - Easy access drain valve
 - Protectant flange for the sprayer bar
 - Stainless steel plate resists corrosion
 - Application rate graph



LIQUID RAGE HOSE REEL KIT

- Retractable 50' hose reel
- Adjustable mount
- Adjustable pressure wand

LIQUIDRAGE APPLICATIONS

Ice prevention - Dust suppression - Weed control